# Report from H→ WW\* → Ivlv Subgroup

Tiesheng Dai

University of Michigan

on Behalf of H→ WW\* → IvIv Group

at BNL Higgs XS May 4-6 Workshop

### **Common Cuts**

https://twiki.cern.ch/twiki/bin/view/LHCPhysics/WW

### **Common Cuts have been modified slightly to include JET:**

- 1) pt|1/|2 > 20, |eta|1/|2| < 2.5
- 2) MET > 30
- 3) mll>12
- 4) pt\_jet\_max < 30 for |eta|<3 with Anti KT jet of cone size 0.5

# **Analysis Needs & Discussions**

### **Typical data analysis:**

- a) MC samples
  - Pre-selection efficiency if pre-selections are applied
  - Total Cross-section and its uncertainty from a MC sample, which should be common for all experiments

### b) Cuts

- a) Acceptances, data analysis and experiment dependent
- b) Uncertainties of acceptance (common errors and uncorrelated errors, need to separate them to combine results from different experiments)

Discussions: few discussions and workings are going on, Frank Krauss on Higgs differential Cross-sections and H→WW\* subgroup about acceptance uncertainties

# Approach 1

https://indico.cern.ch/conferenceDisplay.py?confld=135791

### Study Higgs → WW\*/ZZ\* differential cross-sections with cuts

- a) Comparison at/with fixed order (ME level):
  - PDFs (CTEQ6 and MRST2008 NLO and NNLO)
  - Scales
  - MC models (POWHEG-Box, Sherpa, Herwig++, NNLO+Resummation)
  - cuts
- b) Comparison after showing
  - Including MC@NLO (+Herwig)
  - $\triangleright \alpha_s$  effects
- c) Underlying events
- d) Question: how about pileup effects?

Useful from theoretical point view, not clear how to use them in data analysis (most likely cuts will not be same as data analysis. More details and studies see Thur. session

# Approach 2 for $H \rightarrow WW^* \rightarrow IvIv$

- Total cross-section and its uncertainty from LHC Higgs Crosssection yellow book
- Common Guide on Acceptance Uncertainties for experiments and Study Common Errors from:
  - $\triangleright$  PDFs, scale and  $\alpha_s$
  - Common cuts, such as jet veto
  - MC models
  - Underline events and pileup, may need detector related event generation or full simulation

Similar studies need to be done from data analysis group on effects from cuts, underline and pileup events

# **A Proposal**

Experiments are sensitive to cross sections within detector acceptance:

$$\sigma_{\text{vis}} = \sigma_{\text{tot}} \times A \times f$$

- Take the total cross sections and their uncertainties from the CERN Yellow Report;
- Estimate acceptance (except that on jet veto/bin) uncertainties from scale, PDF+as, ... using appropriate MC programs, and assume they are independent;
- Estimate jet veto/bin (scale) uncertainties separately and take into account potential correlations with those on the total cross sections

For gg $\rightarrow$ H,  $f_0$  is largely anti-correlated,  $f_1$  and  $f_2$  are largely correlated with the total cross section

Take differences between NLO MC generators as a systematic

## ggF H Cross-sections & Errors

### https://twiki.cern.ch/twiki/bin/view/LHCPhysics/CERNYellowReportPageAt7TeV

m <sub>H</sub> (GeV)         Cross Section (pb)         +error W         -error W         +scale W         -escale W         +(PDF+α <sub>g</sub> ) W         -(PDF+α <sub>g</sub> ) W           90         29.47         22.9         -15.6         14.8         -8.7         8.1         -6.9           95         26.58         21.9         -15.6         13.3         -9.0         8.0         -6.9           100         24.02         21.2         -15.6         13.3         -8.6         7.9         -7.0           105         21.78         20.8         -15.5         12.8         -8.5         7.9         -7.0           110         19.84         20.4         -15.3         12.5         -8.2         7.9         -7.1           115         18.13         20.0         -15.3         12.1         -8.1         7.9         7.8         -7.2           120         16.63         19.7         -15.1         11.7         -7.8         7.8         -7.2           125         15.31         19.5         -15.1         11.7         -7.8         7.8         -7.3           130         14.12         19.2         -15.1         11.7         -7.4         7.8         -7.5 <t< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></t<>								
95         26.58         21.9         -15.9         13.9         -9.0         8.0         -6.9           100         24.02         21.2         -15.6         13.3         -8.6         7.9         -7.0           105         21.78         20.8         -15.5         12.8         -8.5         7.9         -7.1           110         19.84         20.4         -15.3         12.5         -8.2         7.9         -7.1           115         18.13         20.0         -15.3         12.1         -8.1         7.9         -7.2           120         16.63         19.7         -15.1         11.9         -7.9         7.8         -7.2           125         15.31         19.5         -15.1         11.7         -7.8         7.8         -7.3           130         14.12         19.2         -15.1         11.3         -7.7         7.8         -7.4           135         13.08         18.9         -15.0         11.1         -7.6         7.8         -7.5           140         12.13         18.8         -14.9         11.0         -7.4         7.8         -7.5           145         11.27         18.7         -14.9 <td>m<sub>H</sub> (GeV)</td> <td>Cross Section (pb)</td> <td>+error %</td> <td>- error %</td> <td>+scale %</td> <td>-scale %</td> <td>+(PDF+<math>\alpha_{_S}</math>) %</td> <td>-(PDF+<math>\alpha_{_S}</math>) %</td>	m <sub>H</sub> (GeV)	Cross Section (pb)	+error %	- error %	+scale %	-scale %	+(PDF+ $\alpha_{_S}$ ) %	-(PDF+ $\alpha_{_S}$ ) %
100       24.02       21.2       -15.6       13.3       -8.6       7.9       -7.0         105       21.78       20.8       -15.5       12.8       -8.5       7.9       -7.1         110       19.84       20.4       -15.3       12.5       -8.2       7.9       -7.1         115       18.13       20.0       -15.3       12.1       -8.1       7.9       -7.2         120       16.63       19.7       -15.1       11.9       -7.9       7.8       -7.2         125       15.31       19.5       -15.1       11.7       -7.8       7.8       -7.3         130       14.12       19.2       -15.1       11.3       -7.7       7.8       -7.4         135       13.08       18.9       -15.0       11.1       -7.6       7.8       -7.5         140       12.13       18.8       -14.9       11.0       -7.4       7.8       -7.5         145       11.27       18.7       -14.9       10.9       -7.4       7.8       -7.6         150       10.50       18.7       -14.9       10.9       -7.2       7.8       -7.7         160       9.080       18.6 </td <td>90</td> <td>29.47</td> <td>22.9</td> <td>-15.6</td> <td>14.8</td> <td>-8.7</td> <td>8.1</td> <td>-6.9</td>	90	29.47	22.9	-15.6	14.8	-8.7	8.1	-6.9
105       21.78       20.8       -15.5       12.8       -8.5       7.9       -7.1         110       19.84       20.4       -15.3       12.5       -8.2       7.9       -7.1         115       18.13       20.0       -15.3       12.1       -8.1       7.9       -7.2         120       16.63       19.7       -15.1       11.9       -7.9       7.8       -7.2         125       15.31       19.5       -15.1       11.7       -7.8       7.8       -7.3         130       14.12       19.2       -15.1       11.3       -7.7       7.8       -7.4         135       13.08       18.9       -15.0       11.1       -7.6       7.8       -7.5         140       12.13       18.8       -14.9       11.0       -7.4       7.8       -7.5         145       11.27       18.7       -14.9       10.9       -7.4       7.8       -7.6         150       10.50       18.7       -14.9       10.9       -7.2       7.8       -7.7         155       9.795       18.5       -15.0       10.8       -7.3       7.7       -7.8         160       9.080       18.6 </td <td>95</td> <td>26.58</td> <td>21.9</td> <td>-15.9</td> <td>13.9</td> <td>-9.0</td> <td>8.0</td> <td>-6.9</td>	95	26.58	21.9	-15.9	13.9	-9.0	8.0	-6.9
110       19.84       20.4       -15.3       12.5       -8.2       7.9       -7.1         115       18.13       20.0       -15.3       12.1       -8.1       7.9       -7.2         120       16.63       19.7       -15.1       11.9       -7.9       7.8       -7.2         125       15.31       19.5       -15.1       11.7       -7.8       7.8       -7.3         130       14.12       19.2       -15.1       11.3       -7.7       7.8       -7.4         135       13.08       18.9       -15.0       11.1       -7.6       7.8       -7.5         140       12.13       18.8       -14.9       11.0       -7.4       7.8       -7.5         145       11.27       18.7       -14.9       10.9       -7.4       7.8       -7.6         150       10.50       18.7       -14.9       10.9       -7.2       7.8       -7.7         155       9.795       18.5       -15.0       10.8       -7.3       7.7       -7.8         160       9.080       18.6       -15.0       10.9       -7.2       7.7       -7.8         165       8.319       18.1 </td <td>100</td> <td>24.02</td> <td>21.2</td> <td>-15.6</td> <td>13.3</td> <td>-8.6</td> <td>7.9</td> <td>-7.0</td>	100	24.02	21.2	-15.6	13.3	-8.6	7.9	-7.0
115       18.13       20.0       -15.3       12.1       -8.1       7.9       -7.2         120       16.63       19.7       -15.1       11.9       -7.9       7.8       -7.2         125       15.31       19.5       -15.1       11.7       -7.8       7.8       -7.3         130       14.12       19.2       -15.1       11.3       -7.7       7.8       -7.4         135       13.08       18.9       -15.0       11.1       -7.6       7.8       -7.5         140       12.13       18.8       -14.9       11.0       -7.4       7.8       -7.5         145       11.27       18.7       -14.9       10.9       -7.4       7.8       -7.6         150       10.50       18.7       -14.9       10.9       -7.2       7.8       -7.7         155       9.795       18.5       -15.0       10.8       -7.3       7.7       -7.8         160       9.080       18.6       -15.0       10.9       -7.2       7.7       -7.8         165       8.319       18.1       -14.7       10.4       -6.9       7.7       -7.9         170       7.729       17.9 </td <td>105</td> <td>21.78</td> <td>20.8</td> <td>-15.5</td> <td>12.8</td> <td>-8.5</td> <td>7.9</td> <td>-7.1</td>	105	21.78	20.8	-15.5	12.8	-8.5	7.9	-7.1
120       16.63       19.7       -15.1       11.9       -7.9       7.8       -7.2         125       15.31       19.5       -15.1       11.7       -7.8       7.8       -7.3         130       14.12       19.2       -15.1       11.3       -7.7       7.8       -7.4         135       13.08       18.9       -15.0       11.1       -7.6       7.8       -7.5         140       12.13       18.8       -14.9       11.0       -7.4       7.8       -7.5         145       11.27       18.7       -14.9       10.9       -7.4       7.8       -7.6         150       10.50       18.7       -14.9       10.9       -7.2       7.8       -7.7         155       9.795       18.5       -15.0       10.8       -7.3       7.7       -7.8         160       9.080       18.6       -15.0       10.9       -7.2       7.7       -7.8         165       8.319       18.1       -14.7       10.4       -6.9       7.7       -7.9         170       7.729       17.9       -14.9       10.2       -7.0       7.7       -8.0	110	19.84	20.4	-15.3	12.5	-8.2	7.9	-7.1
125       15.31       19.5       -15.1       11.7       -7.8       7.8       -7.3         130       14.12       19.2       -15.1       11.3       -7.7       7.8       -7.4         135       13.08       18.9       -15.0       11.1       -7.6       7.8       -7.5         140       12.13       18.8       -14.9       11.0       -7.4       7.8       -7.5         145       11.27       18.7       -14.9       10.9       -7.4       7.8       -7.6         150       10.50       18.7       -14.9       10.9       -7.2       7.8       -7.7         155       9.795       18.5       -15.0       10.8       -7.3       7.7       -7.8         160       9.080       18.6       -15.0       10.9       -7.2       7.7       -7.8         165       8.319       18.1       -14.7       10.4       -6.9       7.7       -7.9         170       7.729       17.9       -14.9       10.2       -7.0       7.7       -8.0	115	18.13	20.0	-15.3	12.1	-8.1	7.9	-7.2
130       14.12       19.2       -15.1       11.3       -7.7       7.8       -7.4         135       13.08       18.9       -15.0       11.1       -7.6       7.8       -7.5         140       12.13       18.8       -14.9       11.0       -7.4       7.8       -7.5         145       11.27       18.7       -14.9       10.9       -7.4       7.8       -7.6         150       10.50       18.7       -14.9       10.9       -7.2       7.8       -7.7         155       9.795       18.5       -15.0       10.8       -7.3       7.7       -7.8         160       9.080       18.6       -15.0       10.9       -7.2       7.7       -7.8         165       8.319       18.1       -14.7       10.4       -6.9       7.7       -7.9         170       7.729       17.9       -14.9       10.2       -7.0       7.7       -8.0	120	16.63	19.7	-15.1	11.9	-7.9	7.8	-7.2
135       13.08       18.9       -15.0       11.1       -7.6       7.8       -7.5         140       12.13       18.8       -14.9       11.0       -7.4       7.8       -7.5         145       11.27       18.7       -14.9       10.9       -7.4       7.8       -7.6         150       10.50       18.7       -14.9       10.9       -7.2       7.8       -7.7         155       9.795       18.5       -15.0       10.8       -7.3       7.7       -7.7         160       9.080       18.6       -15.0       10.9       -7.2       7.7       -7.8         165       8.319       18.1       -14.7       10.4       -6.9       7.7       -7.9         170       7.729       17.9       -14.9       10.2       -7.0       7.7       -8.0	125	15.31	19.5	-15.1	11.7	-7.8	7.8	-7.3
140       12.13       18.8       -14.9       11.0       -7.4       7.8       -7.5         145       11.27       18.7       -14.9       10.9       -7.4       7.8       -7.6         150       10.50       18.7       -14.9       10.9       -7.2       7.8       -7.7         155       9.795       18.5       -15.0       10.8       -7.3       7.7       -7.7         160       9.080       18.6       -15.0       10.9       -7.2       7.7       -7.8         165       8.319       18.1       -14.7       10.4       -6.9       7.7       -7.9         170       7.729       17.9       -14.9       10.2       -7.0       7.7       -8.0	130	14.12	19.2	-15.1	11.3	-7.7	7.8	-7.4
145       11.27       18.7       -14.9       10.9       -7.4       7.8       -7.6         150       10.50       18.7       -14.9       10.9       -7.2       7.8       -7.7         155       9.795       18.5       -15.0       10.8       -7.3       7.7       -7.7         160       9.080       18.6       -15.0       10.9       -7.2       7.7       -7.8         165       8.319       18.1       -14.7       10.4       -6.9       7.7       -7.9         170       7.729       17.9       -14.9       10.2       -7.0       7.7       -8.0	135	13.08	18.9	-15.0	11.1	-7.6	7.8	-7.5
150       10.50       18.7       -14.9       10.9       -7.2       7.8       -7.7         155       9.795       18.5       -15.0       10.8       -7.3       7.7       -7.7         160       9.080       18.6       -15.0       10.9       -7.2       7.7       -7.8         165       8.319       18.1       -14.7       10.4       -6.9       7.7       -7.9         170       7.729       17.9       -14.9       10.2       -7.0       7.7       -8.0	140	12.13	18.8	-14.9	11.0	-7.4	7.8	-7.5
155       9.795       18.5       -15.0       10.8       -7.3       7.7       -7.7         160       9.080       18.6       -15.0       10.9       -7.2       7.7       -7.8         165       8.319       18.1       -14.7       10.4       -6.9       7.7       -7.9         170       7.729       17.9       -14.9       10.2       -7.0       7.7       -8.0	145	11.27	18.7	-14.9	10.9	-7.4	7.8	-7.6
160       9.080       18.6       -15.0       10.9       -7.2       7.7       -7.8         165       8.319       18.1       -14.7       10.4       -6.9       7.7       -7.9         170       7.729       17.9       -14.9       10.2       -7.0       7.7       -8.0	150	10.50	18.7	-14.9	10.9	-7.2	7.8	-7.7
165     8.319     18.1     -14.7     10.4     -6.9     7.7     -7.9       170     7.729     17.9     -14.9     10.2     -7.0     7.7     -8.0	155	9.795	18.5	-15.0	10.8	-7.3	7.7	-7.7
170 7.729 17.9 -14.9 10.2 -7.0 7.7 -8.0	160	9.080	18.6	-15.0	10.9	-7.2	7.7	-7.8
	165	8.319	18.1	-14.7	10.4	-6.9	7.7	-7.9
175 7.211 17.9 -14.8 10.2 -6.8 7.7 -8.0	170	7.729	17.9	-14.9	10.2	-7.0	7.7	-8.0
	175	7.211	17.9	-14.8	10.2	-6.8	7.7	-8.0

# Questions: For H→ WW → IvIv do we need to add additional systematic errors from H→ WW\* branching ratio and W→Iv branching ratio?

# Scale and PDF Uncertainties


### Relative change in the 0-jet fraction:

- QCD scale: ~5% (pT>30 GeV) from  $\mu_{\text{F}}$  and  $\mu_{\text{R}}$  variations by x2 around their central value  $M_{\text{H}}$
- PDF: ~3%

from 40 MSTW2008 90%CL error sets following  $\Delta \varepsilon = \frac{1}{2} \sqrt{\sum_{i=1}^{20} (\varepsilon_i^+ - \varepsilon_i^-)^2}$ 

### Scale variations

$\mu_F/M_H$	$\mu_R/M_H$	$\epsilon_0$ (%)
0.5	0.5	66.2
0.5	1.0	68.2
0.5	2.0	70.9
1.0	0.5	66.8
1.0	1.0	69.5
1.0	2.0	72.1
2.0	0.5	67.2
2.0	1.0	69.4
2.0	2.0	72.6



# **Uncertainties Continued...**

- $\alpha_s$ : ~2% variation from ±90% CL  $\alpha_s$  MSTW2008 fits
- For the joint ATLAS/CMS selection, the combined scale, PDF and as uncertainties are:

0-jet fraction: ~6% 1-jet fraction: ~7% 2-jet fraction: ~35%

 For ATLAS selection (pT>20 GeV and |η|<4.5), the combined uncertainties are

0-jet fraction: ~10% 1-jet fraction: ~6% 2-jet fraction: ~35%

### Strong anti-correlations between 0- and 2-jet fractions

# ggF Jet Bin Correlation

### Basic parton level selection using HNNLO

Two leptons with pT>20 GeV and  $|\eta|$ <2.5; MissingEt > 30 GeV (pT of the two neutrino system); Event veto if jets with pT>30 GeV and  $|\eta|$ <3.0

	$(\mu_F/m_H, \ \mu_R/m_H)$											
	(0.5, 0.5)	(0.5, 1.0)	(0.5, 2.0)	(1.0, 0.5)	(1.0, 1.0)	(1.0, 2.0)	(2.0, 0.5)	(2.0, 1.0)	(2.0, 2.0)			
	Cross sections in 0, 1 and 2-jet bin											
$\sigma_0$	30.1	28.5	26.6	30.1	28.6	26.8	30.3	28.6	27.0			
$\sigma_1$	11.5	10.2	8.86	11.6	10.2	8.77	11.7	10.1	8.60			
$\sigma_2$	3.95	2.64	1.84	3.57	2.39	1.66	3.24	2.17	1.51			
Fractions in 0, 1 and 2-jet bin												
$f_0$	66.1	68.9	71.4	66.5	69.5	72.0	67.0	70.0	72.8			
$f_1$	25.2	24.7	23.7	25.6	24.7	23.6	25.9	24.7	23.2			
$f_2$	8.69	6.40	4.92	7.88	5.80	4.45	7.17	5.31	4.06			

### $f_i$ correlation matrix

$$\begin{pmatrix} 1.00 & -0.95 & -0.98 \\ -0.95 & 1.00 & 0.88 \\ -0.98 & 0.88 & 1.00 \end{pmatrix}$$

$$\sigma_{tot}$$
 and  $f_i$  correlation:

### Higgs $q_T(p_T)$ reweighting

- The QCD correction of the gg → H process is up to NLL(Resummation)+NLO(Fixed order) for both McAtNLO(+Herwig) and PowHeg(+Pythia) generators.
- The HqT program provides Higgs  $p_T$  distributions up to NNLL+NNLO.

http://theory.fi.infn.it/grazzini/codes.html

- We are using HqT to reweight Higgs  $p_T$  distributions from NLL+NLO to NNLL+NNLO.
- Since the transverse momentum(q<sub>T</sub> or p<sub>T</sub>) of the Higgs is related to the jet activity. Reweighting the Higgs p<sub>T</sub> will change jet multiplicities.
- Three mass points ( $m_H = 130, 160, 400 \text{ GeV}$ ) are studied in this talk for comparisons between McAtNlo and PowHeg.
- All studies are based on the parton level truth information without QED radiation corrections for leptons.

### Impact on the acceptance

- Study the impact of the Higgs  $p_T$  reweighting on the acceptance
- The acceptance requirement consists of several cuts sequentially applied on kinematics of leptons,  $E_T^{miss}$  and the jet multiplicity.
  - $m{p}_T^{\ell,1} > 20~{
    m GeV}$  ,  $p_T^{\ell,2} > 15~{
    m GeV}$  and  $|\eta^\ell| < 2.5$
  - $\bullet$   $E_T^{miss} > 30 \text{ GeV}$
  - ullet 0, 1 and 2 Jets with  $p_T^{jet}>25$  GeV and  $|\eta^{jet}|<4.5$

Cut	McAtNlo $m_H$ = 130 GeV			PowHeg $m_H$ = 130 GeV			McAtNlo $m_H$ = 160 GeV			PowHeg $m_H$ = 160 GeV		
Acc. Eff.	w.o RWT	with RWT	diff.(%)	w.o RWT	with RWT	diff.(%)	w.o RWT	with RWT	diff.(%)	w.o RWT	with RWT	diff.(%)
Lepton cut	0.484	0.482	-0.30	0.522	0.509	-2.50	0.714	0.714	-0.11	0.741	0.738	-0.45
$E_T^{miss}$ cut	0.387	0.385	-0.33	0.414	0.405	-2.07	0.634	0.634	-0.08	0.657	0.656	-0.11
Zero Jet	0.246	0.251	2.22	0.216	0.253	17.14	0.371	0.382	2.82	0.326	0.380	16.59
One Jet	0.106	0.103	-3.24	0.134	0.115	-13.85	0.197	0.191	-3.03	0.220	0.202	-8.21
Two Jet	0.027	0.025	-5.99	0.045	0.029	-35.95	0.052	0.049	-5.20	0.079	0.057	-28.43

- The reweighting changes the zero jet acceptance by 2-3% for McAtNlo and 17% for PowHeg with
- The major correction is on the jet multiplicity, as it is highly related to the Higgs  $p_T$
- After the Higgs p<sub>T</sub> reweighting, the McAtNlo and PowHeg acceptance agrees well!


# Few Outstanding Issues

### **Jet Veto**

https://indico.cern.ch/conferenceDisplay.py?confld=128018

Higgs Production with a Jet Veto at NNLL+NNLO by Frank Tackmann (MIT) https://indico.cern.ch/getFile.py/access?contribId=0&resId=0&materialId=slides&confId=128018

### Results at Small $T_{\rm cm}^{\rm cut}$ (0-Jet Region)




### Compare NNLL+NNLO to NNLO only

- NNLO alone is not reliable for small  $\mathcal{T}_{\mathrm{cm}}^{\mathrm{cut}}$
- Jet-veto logarithms are important: Central value including NNLL lower than NNLO (partly accounted for by parton shower)
- ullet Scale uncertainty at NNLL+NNLO is 10-20%


by reweighting, the NNLL effects on MC@NLO are small on jet veto, around 17% for POWHEG. Here the effects are hugh at low beam thrust. Final conclusion is necessary


# Fixed Higgs Width on MC@NLO



Abnormal Higgs Mass and lepton Pt show up for Higgs > 300GeV
The higgs-mass distribution in standalone Herwig is (fastly) going to zero when the higgs mass approaches zero due to the use of the "running" width

# **Introduce Running Width by Stefano**





### The Higgs mass distribution is reasonable, but the total cross-section reduced a lot!

600GeV Higgs cross-sections:

XS (pb-1) with running Higgs width: 0.1215

XS(pb-1) with fixed Higgs width: 0.1948

XS(pb-1) LHC Higgs-XS book: 0.1827

with H -> WW branching ratio 0.558 from LHC Higgs-XS yellow book

# **Comments by Stefano Frixione**

You cannot compare the running with the fixed-width scenario. If you remember the distribution in M\_H with a fixed width, there was a steep rise at low M\_H, whose contribution to the total rate is not negligible. It's not correct to multiply a total rate

obtained with a fixed width times BR(H->WW): what you have used is a constant, and therefore you completely miss the fact that at low M\_H there must not be any contribution to the WW channel. This is the reason why the implementation of the running width includes automatically the branching ratios: the latter must \*NOT\* be considered a constant, but a function of the M\_H mass.

### In other words, you have two options:

- 1. You are interested in the total rate. You run with a fixed width.
- 2. You are interested in a specific channel (eg WW); you run with a running width.

For high mass Higgs cross-section, debating is still going on from theoretical point view